



Galvanized steel rope 6x37 + Textile Core

1770 N/mm²

Diameter (mm)	Minimum breaking force		Weight (gr/mt)
	kN	kgf	
8	33,4	3400	221
9	42,3	4300	280
10	52,2	5310	346
11	63,1	6420	419
12	75,1	7640	498
13	88,2	8970	585
14	102	10400	678
16	134	13600	886
18	169	17200	1120
20	209	21200	1380
22	253	25700	1670
24	301	30600	1990
26	353	35900	2340
28	409	41600	2710
30	470	47900	3042
32	534	54300	3540